

CREATING A CLEANER, SAFER, HEALTHIER WORLD.



V-BP-6B

BATTERY BACKPACK VACUUM

- Improve productivity, efficiency, and comfort through ergonomic features and multiple tool options
- Designed with the user in mind with a Deuter® branded hiking harness, which is designed to reduce operator fatigue and muscle strain
- Go anywhere with a lithium ion battery

FINALLY, AFFORDABLE BACKPACK VACUUMS THAT ARE COMFORTABLE & CORD FREE







GO ANYWHERE

Without the hassle of cords, the operator can clean anywhere with a lithium ion powered battery.

COMFORT LEADS TO PRODUCTIVITY

An ergonomic Deuter® branded hiking harness designed to decrease muscle fatigue and maximize operator comfort and mobility.

SAFE, FIELD PROVEN PERFORMANCE

Enhanced safety features, <65 dBA noise level, and 4-stage filtration with HEPA means you can clean more safely and protect your investment.

FEATURES AND BENEFITS

V-BP-6B

DEUTER® HARNESS

Designed and manufactured by Deuter, the world leader in hiking backpacks.



TOOL KITS

Premium Sidewinder® Kit

Two-piece anodized aluminum wand with 18 in / 457 mm.



Standard Telescoping Kit

Chrome telescoping wand with 14 in / 356 mm tools.



Base Kit

Two-piece locking aluminum wand with 14 in / 356 mm tools.



55 MINUTE RUNTIME



2.5 HR RECHARGE



EASILY INTERCHANGEABLE





REDUCE COST TO CLEAN

- Maximize productivity with new features such as sidewinder tool and ergonomic harness.
- Improve efficiency, mobility and productivity through use of ergonomic backpack vacuum.
- Three tool kit options to suit a variety of cleaning needs.



HEALTH AND SAFETY

- Increased comfort and mobility for operator due to new ergonomic harness.
- Reduce trip/fall hazard with no cord to manage.



IMAGE

 Improve facility image through 4-stage filtration with HEPA.



SUSTAINABILITY

 LEED qualifying CRI certified vacuum maintains air quality through 4-stage filtration with HEPA

Choose GE Capital or U.S. Bancorp, our leasing providers, for simple, quick financing with flexible upgrade options.

V-BP-6B BATTERY BACKPACK VACUUM

VACUUM MOTOR

Vac motor power
Vacuum motor current
Vacuum motor airflow
Vacuum motor sealed water lift
Vacuum motor thermal protection

408W* 11.35A* 70 cfm / 118 m³/m 65 in / 165 cm Thermal protector with auto reset

FILTRATION

HEPA filter, standard

High efficiency (99.97%) at 0.3 micron

VACUUM BAG

Vacuum bag Easy to change vac bag Vacuum capacity Paper bag is standard Two over-center latches 6 qt / 5.7 L

POWER SOURCE

Power Source Interchangeable battery pack Run time Charge time On/Off Switch 36VDC / 10.4 Ah lithium ion battery Yes Up to 55 minutes 2.5 hours

Switch is part of battery frame located on the back right

BODY/FRAME

Harness Weight Deuter® with 27-54 in / 686-1372 mm adjustability

19.0 lbs / 8.62 kg

(9.75 lbs / 4.42 kg body, 3.5 lbs / 1.59 kg harness, 5.75 lbs / 2.6 kg battery)

H: 21 in / 533 mm (25 in / 635mm with harness) W: 9.5 in / 241 mm (13 in / 330 mm with harness) D: 7 in / 178 mm (13 in / 330 mm with harness)

SOUND

Dimensions

Sound level (at operator's ear)

63 dba

VACUUM HOSE

Hose length Hose diameter @ wand 2-6 ft / 0.61-1.80 m stretch hose included with vacuum 1.50 in / 38 mm

APPROVALS

ETL

WARRANTY

See your sales representative or authorized distributor for complete warranty details.

*Will vary throughout the operation of the machine; averages are shown. UL does not rate these machines in amperage or wattage.

Specifications subject to change without notice.



Carpet and Rug Institute (CRI) Seal of Approval – Certified Silver.



190 Summerhill Rd * Spotswood, NJ 08884 Phone: (732)-251-9506 * Fax (732)-251-9586 Info@Bio-Shine.com * Shop.Bio-Shine.com Tennant 701 North Lilac Drive Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033 Quebec: +1.800.361.9050 Overseas: +1.763.540.1315

www.tennantco.com info@tennantco.com